PSD2 - Documentation

For OAuth2 Token Request

יישום בדיסקונט \ מרכנתיל

1. כללי 3
2. שירותי OAuth 3
3. Authorization 4
3.1 Request 4
3.2 Response 4
4. Token 5
4.1 Request 5
4.2 Response 5
5. Refresh token 6
5.1 Request 6
5.2 Response 6

1. כללי

מסמך זה מכיל את היישום עבור תהליך ה authorization לפי התקן שפורסם ע"י בנק ישראל -
BOI - Implementation Guidelines V1.8

במסמך זה מפורטים השירותים הנתמכים יחד עם נתוני הבקשה והתשובה בכל אחד מהם.

2. שירותי OAuth

סוג המידע	API
ניתוב לאישור	GET /authorize
קבלת Token	POST /token
קבלת Refresh token	POST /token

Authorization .3

3.1. Request

Query Parameters

Attribute	Type	Description
response_type	Support value: code	
client_id		
scope	Support values: - PIS:<paymentId> - AIS:<consentId>	
state		
redirect_uri		
code_challenge		
code_challenge_method		

3.2. Response

Response Headers

Attribute	Type	Description
Location		
code		
state		

Token .4

4.1. Request

Content-Type: application/x-www-form-urlencoded

Path parameters

Attribute	Type	Description
grant_type	authorization_code	
client_id		
code		
redirect_uri		
code_verifier		

4.2. Response

Response Parameters

Attribute	Type	Description
token_type		
access_token		
expires_in		
consented_on		
scope		
grant_type		
refresh_token		
refresh_token_expires_in		

5. Refresh token

ניתן לבצע פניה עם ה Refresh token פעם אחת בלבד.

5.1. Request

Content-Type: application/x-www-form-urlencoded

Path parameters

Attribute	Type	Description
refresh_token		
client_id		
grant_type	refresh_token	

5.2. Response

Response Parameters

Attribute	Type	Description
token_type		
access_token		
expires_in		
consented_on		
scope		
refresh_token		
refresh_token_expires_in		